
In vivo characterization of neural and contractile properties with resulting musculoskeletal function

Antonio Gogeascoechea, Rafael Ornelas Kobayashi, Utku S. Yavuz and Massimo Sartori






3. MU-specific

$$a_j(t) = A_{pj} \frac{t}{T_{cj}} \exp\left(1 - \frac{t}{T_{cj}}\right) u_j(t)$$

4. Subject-specific



Glossary: MU - motor unit, j - suffix for MU number, RT_i - recruitment threshold, DR_i - discharge rate, A_{pj} - twitch amplitude, T_{cj} - contraction time, a_j - activation, MTU musculotendon unit, CE contractile element; SEE and PEE serial and parallel elastic elements, l_o^m - optimal fiber length, l_s^t - tendon slack length, F_{max} - max. isometric force






INTRO

- Restoring healthy movement is challenging due to our 1. little understanding of the neuro-mechanical interplay.
- EMG-driven musculoskeletal models help understand underlying mechanisms of human movement. However, global EMGs hide the contribution of neural micro-structures to force production.
- We propose a methodology to interface with motor units (MUs) from high-density EMG, characterize their 4. neural and contractile properties, and employ them to decode force in intact humans in vivo.
- **Characterization of MU twitch properties:** we employed PCA to discriminate slow (S) and fast (F) MUs according to their neural distributions (1 & 2) and link them (linearly) with twitch contractile properties found in humans (3). (4) shows the results the neuromechanical mapping for all muscles

erc




METHODS

- Data collection: HD-EMGs from 5 lower leg muscles and torque recordings during isometric dorsi-plantar flexion contractions.
- 2. Characterization of twitch properties from MU statistical distributions.
- 3. MU-specific muscle activation using the found twitch properties.
 - **Ankle torque prediction** using musculoskeletal modelling driven by the MU-specific activation dynamics.

RESULTS & DISCUSSION

- We translated MU firing properties into physiologically-realistic twitch characteristics.
- Our methodology showed accurate torque predictions (norm. RMSE< 0.5) and high correlation with actual torque ($R^2 > 0.8$)
- Limitations: we are unable to decompose slow MUs at the beginning of the contraction which causes gaps by the onset of the ramp.
- Future work: quantifying changes in MU distributions due to rehabilitation training



Comparison of MU-specific vs EMG-driven: Our proposed models showed superiority in low activation trials (lower errosr and variability) but big gaps in higher activation trials









